

Fabric substrates for digital printing

Fabric substrates, coatings, FR ratings, ink receptivity, and more

Arlon Graphics LLC
www.arlon.com

Aurora Specialty Textiles Group Inc.
www.auroratextile.com

Bainbridge International Inc.
www.bainbridgeint.com

Cooley Group
www.cooleygroup.com

Dazian Fabrics LLC
www.dazian.com

DHJ Decoprint
www.decoprint.fr

Fisher Textiles
www.fishertextiles.com

Glaser Mills Inc.
www.glasermills.com

Glen Raven Custom Fabrics LLC
www.glenraven.com
www.sunbrella.com

Graniteville Specialty Fabrics
www.graniteville.net

Herculite Products Inc.
www.herculite.com

Heytex Bramsche GmbH
www.heytex.com

Highland Industries Inc.
www.highlandindustries.com

Ibena Inc.
www.ibena.com

Luckenhaus Technical Textiles Inc.
www.lueckenhaus.de

Mehler Technologies Inc.
www.mehler-technologies.com

Milco Industries Inc.
www.milcoind.com

**Neschen Americas-Seal
& Neschen Brand Products**
www.neschenamericas.com

Obeikan Technical Fabrics Co. Ltd.
www.obeikan.com.sa
www.obeflex.com

Rose Brand
www.rosebrand.com

**Safety Components
Fabric Technologies Inc.**
www.weathermax.net

Seattle Textile Co.
www.seatex.com

Serge Ferrari North America Inc.
www.ferrari-architecture.com

Snyder Mfg. Inc.
www.snyderman.com

Tri Vantage LLC
www.trivantage.com

Ultraflex Systems Inc.
www.ultraflexx.com

Value Vinyls
www.valuevinyls.com

Verseidag Seemee U.S.
www.seemeeus.com



Members of the Fabric Graphics Association (FGA), a division of the Industrial Fabrics Association International (IFAI), are pleased to present to the graphics community, detailed listings of fabrics as substrates for digital printing. To be listed, the manufacturer must hold the TM or [®] for the textile submitted or be an exclusive distributor of the textile. The specification accuracy is the responsibility of the manufacturer. Always defer to the manufacturer when questions occur regarding fabric specifications. The guide is available for reference online at www.fabricgraphicsassociation.com. If you manufacture fabric substrates and desire to participate in future editions of the guide, e-mail jmschieffer@ifai.com.

REFERENCE GUIDE

- ***A** Product has been certified using test method B1, M1 or M2. Check company website to verify specifics.
- ***B** Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.
- ***C** The length of the fabric or graphics warranty depends on type of ink used for graphic applications.
- ***D** Check company website to verify specifics.
- X** Yes, product has the specified characteristic.
- * **Green** references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.
- ** Recommended **inks** are represented by "**S**" solvent, "**UV**" ultraviolet, "**DI**" disperse, "**W**" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *

ACRYLIC

Glen Raven Custom Fabrics LLC	Sunbrella Inkjet White		10	Acrylic	54, 60	*G
-------------------------------	------------------------	--	----	---------	--------	----

COTTON, COATED

Aurora Specialty Textiles Group Inc.	VC1122 Embossed	Windows, tradeshow displays	4.25	Cotton	48	
	VC2611	Kiosk displays	3.5	Cotton	56	
	VC Cotton Canvas Natural	Art reproductions, maps	8	Cotton	56,76	
Herculite Products Inc.	3P Country Cotton FR	Eco-solvent Ink	8.84	Polyester, Cotton	24, 36, 42, 50, 54, 60, 72	*G
	3P SimplyTex FR		6.34	Polyester, Cotton	24, 36, 42, 50, 54, 60, 72	
	3P Trucolor Cotton FR		6.64	Polyester, Cotton	30, 42, 54, 64, 72, 98, 122	
Ibena Inc.	Photo Cotton 220	indoor banner material, limited outdoor	7	Cotton	54, 63, 98, 126	
	Photo Cotton 430	indoor banner material, limited outdoor	14	Cotton	54, 63, 98, 126	
Neschen Americas	SolvoTex Cotton Premium Heavy S	Use for indoor banners, wall art, or displays	9.7	Cotton	122, 198	X
	SolvoTex Cotton Premium Light S	Use for indoor banners, wall art, or displays	5.9	Cotton	80, 98, 122, 198	X
Ultraflex Systems Inc.	UltraCotton C370	Art repro, banners/murals	11	Polyester, Trevira	61, 98, 122, 198	X

NYLON

Bainbridge International Inc.	Applique Cloth		3.5	Nylon		
	Bainflate 210		7.5	Nylon		
	Blok Out!		4.5	Nylon		
	Rip-Stop 1.9 oz.		8.5	Nylon		
Glaser Mills	200D Nylon		3.1	Nylon		
	200D Nylon	Direct Print	3.1	Nylon		
	200D Nylon	Sawgrass Mxf Ink	3.1	Nylon		
	210D High Tenacity Nylon	Direct Print	3.4	Nylon		
	70D High Tenacity Nylon	Direct Print	2.5	Nylon		
Tri Vantage LLC	Nylon Flag Cloth		2.92	Nylon 200d.	59	

NYLON, COATED

Fisher Textiles	SI 210 Nylon Taffeta		2.4	Nylon	58	
-----------------	----------------------	--	-----	-------	----	--

POLYESTER

Aurora Specialty Textiles Group Inc.	ACT II / Act II FR 100% Recycled Polyester	100% Recycled Polyester	7.5	Polyester	60,120	*G
	ACT II SP	100% Recycled Polyester	8	Polyester	60,122	*G
	FR Sateen		7	Polyester	60,120	
	Muslin		3	Polyester	60	
	Oxford		6	Polyester	120	
	RePlay2 / RePlay 2 FR	100% Recycled Polyester	4.6	Polyester	60,120	*G
	Taffeta		3.4	Polyester	60	
	Twill SP		8.5	Polyester	60,122	
Dazian Fabrics	Upholstery / Upholstery FR		8	Polyester	60,120	
	Blackout Satin Wide		6.6	Polyester	118	
	Celtic Cloth	Flat weave, slight stretch	5	Polyester	61, 122	
	Coated Celtic		5	Polyester	61,122	
	Eco Celtic Cloth	Recycled fibers yield off white color	6.4	Polyester	122	
	Eco Janus		5.5	Polyester	72	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	
Translucent	Matte	1	36						X			X	X	X	www.vivitexinkjet.com customerservice@glenraven.com
	Matte	1	*C			X			S,UV			X	X	X	www.auroratextile.com customerservice@auroratextile.com
	Matte	1	*C			X			S,UV	X		X		X	
	Matte	1	*C			X			S,UV			X	X	X	
Translucent	Matte	1			*B				X	X	X				www.bantexdigital.com customercare@herculite.com
Translucent	Matte	1			*B				X		X				
Translucent	Matte	1			*B				X			X	X	X	
Translucent	Gloss	1	36	X	X				X			X	X	X	www.ibena.com ibena@ibena.com
	Gloss	1	36	X	X				X			X	X	X	
	Matte	1							X			X	X		www.neschenbrands.com info@neschenamericas.com
	Matte	1			X				X	X		X	X		
		1	*C		X				S,UV			X	X		www.ultraflexx.com info@ultraflexx.com
	Matte			X	X							X	X		www.bainbridgeint.com steven.collier@bainbridgeint.com
	Matte			X	X							X	X		
	Matte			X	X							X	X		
		2								X					www.glasermills.com info@glasermills.com
		2													
		2				*D									
		2													
		2													
Translucent				X											www.trivantage.com dnelson@trivantage.com
Translucent		1	*C	*D	X				S,UV			X	X	X	www.fishertextiles.com info@fishertextiles.com
Translucent	Matte	1	*C		*B	X	X		UV					X	www.auroratextile.com customerservice@auroratextile.com
	Matte	1	*C			X			UV					X	
Translucent		1	*C		*B	X	X		UV					X	
Translucent		1	*C			X	X		UV					X	
Translucent		1	*C			X	X		UV					X	
Translucent	Matte		*C				X		UV					X	
Translucent		1	*C			X	X		UV					X	
		1	*C			X			UV					X	
Translucent		1	*C		*B	X	X		UV					X	
Opaque		1	*C		X	Indirect	X				X				www.dazian.com info@dazian.com
Opaque			*C		X	Indirect	X				X	X	X	X	
Opaque	Matte		*C		X	Indirect	X				X	X	X	X	
Opaque	Matte		*C		X	Indirect	X				X	X	X	X	
Opaque	Matte		*C		X	Indirect	X				X	X	X	X	
Opaque	Matte		*C		X	Indirect	X				X	X	X	X	

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *

POLYESTER CONTINUED

Dazian Fabrics	Eco Trapeze	Recycled fibers yield off white color	5.8	Polyester 90% Lyra 10%	120	X
	Heavyweight Coated Celtic	Flat weave slight stretch, signage, screens, backlit	7.66	Polyester	122	
	Heavyweight Celtic Cloth	Flat weave slight stretch; signage, screens, backlit	7.66	Polyester	122	
	Ice Velvet	Velvet	13.7	Polyester	56	
	Lakota Matte	Extra wide, pebble appearance; scenery, set decorations	7.1	Polyester	126	
	String Gauze	Wide width, semi sheer textured gauze	3	Polyester	118	
	Taipei Silk Plus Wide	Drape and luster of silk; washable for special events	2.2	Polyester	124	
	Trapeze Plus	Shapes, forms, front, rear projection	4.5	Polyester 90% Lyra 10%	122	
	Trapeze Plus 2	Stain repellant finish	5.4	Polyester 90% Lyra 10%	122	
	Trapeze Plus 3	Water repellent finish; indoor/outdoor use.	5.4	Polyester 90% Lyra 10%	122	
Fisher Textiles	242 Poly Satin	Woven; banners, signs, trade show exhibits	4	Polyester	60	
	250 Dacron	Woven; flags,banners.	4	Polyester	60	
	3010 Poly Spandex	Poly spandex; apparel	5.1	Polyester 87% Spandex 13%	60	
	5068 Poly Lyra	Knit; apparel type applications	4.7	Polyester 93% Lyra 7%	63	
	6248 Poly Poplin		5.5	Polyester	65, 72	
	8000 Spandex	Knit; stretch frames	8	Polyester 86% Spandex 14%	60	
	9000 Ultra Sheer	Advertising applications; fabric becomes transparent.	1.6	Polyester	60	
	ET 9417 Soft Knit FR	Warp knit; banners, signs and trade show exhibits	6	Polyester 41% Repreve® Polyester 59%	122	*G
	ET 9450 Symmetry FR	Knit; banners,geometric trade show exhibit applications, fabric bends and curves.	5.9	Repreve® 88% Spandex 12%	125	*G
	ET 9496 Heavy Knit FR	Knit; pop up display booths.	7.1	Polyester 45% Repreve® Polyester 55%	122	*G
	ET 9499 Firesafe FR	Bar knit; trade show exhibits.	6.1	Polyester 45% Repreve® Polyester 55%	125	*G
	ET 9975 Power Stretch FR	Stretches in equal directions; exhibits	8.5	Repreve® Polyester 94% Lyra 6%	122	*G
	ETP 9372 Reclaim Soft Knit FR		4.8	Repreve® Polyester Post Consumer Waste	122	*G
	ETP 9373 Reclaim Heavy Knit FR		7.5	Repreve® Polyester Post Consumer Waste	122	*G
	ETP 9374 Reclaim Open Knit FR		6	Repreve® Polyester Post Consumer Waste	122	*G
	GF 1480 Poplin FR		4.4	Polyester	120	
	GF 2328 Satin FR		3.8	Polyester	79, 122	
	GF 4201 Flag FR		3.9	Polyester	60, 126	
	GF 4417 Soft Knit FR	Warp knit; banners, signs, trade show exhibits.	5.1	Polyester	61, 96, 122	
	GF 4480 Heavy Knit FR	Knit; pop up display booths.	9	Polyester	61, 122	
	GF 4607 Power Stretch FR	Warp knit; pop-up booths.	8.8	Polyester 94% Lyra 6%	122	
	GF 4831 Heavy Knit FR	Knit; pop up display booths	7.5	Polyester	61, 122	
	GF 4853 Sheer FR	Warp knit; banners, exhibits	1.27	Polyester	142	
	GF 4908 Gaming Suede FR	Gaming suede; gaming tables	7	Polyester	60, 130	
	GF 5018 Symmetry FR		5.7	Polyester 88% Spandex 12%	124	
	GF 5351 Waterfall FR	Texturized woven, waterproof	7.5	Polyester	125	
	GF 600 Poly Duck FR	Duck; rugged canvas look	6.1	Polyester	120	
	GF 8725 Crepe FR		4.9	Polyester	125	
	GF 8873 wht/blk/wht FR	Three woven layers, black middle	8.4	Polyester	60, 72, 120	
	GF 8874 Tri Poplin FR	Three woven layers; opaque	7.5	Polyester	61, 122	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *
POLYESTER CONTINUED						
Fisher Textiles	GF 8899 Firesafe FR	3 bar knit; exhibits	6.7	Polyester	122	
	GF 9049 EZ Stretch FR		8.2	Polyester	122	
	GF 9101 Equality FR		8.2	Polyester 94% Spandex 6%	124	
	GF 9478 Poly Silk FR		1.85	Polyester	125	
Glaser Mills	200D Recycled Dacron	Direct print	3.1	Polyester, Recycled		X
	200D Recycled Dacron	Sawgrass MXF ink	3.1	Polyester, Recycled		X
	200D Recycled PFP Dacron		3.1	Polyester		X
	200D Dacron	Direct print	3.1	Polyester, Recycled		
	200D Dacron	Sawgrass MXF ink	3.1	Polyester		
	200D PFP Dacron		3.1	Polyester		
	600D Dacron	Sawgrass MXF ink	7.5	Polyester		
	600D Dacron	Direct print	7.5	Polyester		
	600D Dacron	Solvent	8	Polyester		
	600D PFP Dacron		7.5	Polyester		
Glen Raven Custom Fabrics LLC	Poly Oxford White		8	Polyester	54, 60	
MILCO Industries Inc.	1652	Gaming tables	7	Polyester	66	
	1673	Gaming tables	0.9	Polyester	72	
	5616	Gaming tables	7.3	Polyester	66	
	5633	Gaming tables	6.5	Polyester	60	
	5640	Gaming tables	7	Polyester	74	
	6505	Outerwear lining	4.3	Polyester	60	
	6690	Outerwear lining	3.4	Polyester	60	
	10008	Outerwear lining	4.9	Polyester, Textured	98	
	16002	Flag, banner, signage	3.7	Polyester	126	
	91019	Flag, banner, signage	1.5	Nylon T6	94	
	91099	Flag, banner, signage	6	Polyester	74	
	91119	Flag, banner, signage	9.5	Polyester	66	
	91128	Flag, banner, signage	7.5	Polyester	66	
	91218	Flag, banner, signage	3.3	Polyester	60, 126	
	910008	Flag, banner, signage	3.1	Polyester	126	
	910108	Flag, banner, signage	5.2	Polyester, Textured	120	
910131	Active wear	6.5	Polyester, Textured/Spandex	60, 120		
930088	Flag, banner, signage	6.2	Polyester, Textured	66		
Neschen Americas	DirectTex Pro-Poplin	Trade show displays, stretch frames, soft image displays, POP and retail signage	6.2	Polyester	61, 71, 122	
	DirectTex Pro-Poplin Light	Trade show displays, stretch frames, soft image displays, POP and retail signage	5	Polyester	122	
	Printex Easy Banner Heavy	Hanging banners, roll up banner stands, retail signage	7.1	Polyester	36, 42, 50, 60	
	Printex Easy Banner Light	Hanging banners, roll up banner stands, retail signage	4.9	Polyester	36, 50, 60	
	Pure Color Apollo Flag	Indoor and outdoor flag systems and promotional signage	3.2	Polyester	42, 54, 64	
	Pure Color Calypso Breeze Satin	Backlit and roll up displays, window graphics and retail signage	3.5	Polyester	54, 60	
	Pure Color Golden Gate Fabric	Roll up and screen displays, murals, trade show and POP graphics	8	Polyester	42, 54, 61, 71, 80, 98	
	Pure Color Mambo Fabric	Store signage, backlit displays, murals, trade show graphics, POP displays, tent sides, outdoor banners for festivals, concerts, and theatrical backdrops	9	Polyester	42, 54, 61	
	Pure Color VersaFabric	Roll ups, pop-up and soft image displays, store signage, murals, POP displays and theatrical backdrops	7.1	Polyester	41, 54, 61, 80, 98	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

Opaque		1	*C	*D	*B	Indirect	X			X	X	X	X		www.fishertextiles.com info@fishertextiles.com	
Opaque		1	*C	*D	X	Indirect	X			X	X	X				
Opaque	Matte	1	*C	*D	X	Indirect	X				X	X				
Translucent		1	*C	*D	*B	Indirect	X			X	X	X	X			
		2				Direct									www.glasermills.com info@glasermills.com	
		2				*D										
		2					X									
		2				Direct										
		2				*D										
		2					X									
Opaque		2				*D										
Opaque		2				Direct										
Opaque		2							X			X	X	X		
Opaque	Matte	1	72						X			X	X	X		www.vivitexinkjet.com customerservice@glenraven.com
Opaque		2				*D									www.milcoind.com mattc@milcosales.com	
Translucent		2				*D										
Opaque	Matte	2				*D										
Opaque	Matte	2				*D										
Opaque	Matte	2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque		2				*D										
Opaque	Matte	1	6		X	*D				X			X			www.neschenbrands.com info@neschenamericas.com
	Matte	1	6		X	*D							X			
	Matte	1							X		X					
	Matte	1							X	X	X					
Translucent	Matte	1	6						X	X		X	X	X		
Translucent	Gloss	1	3						X	X		X	X	X		
	Matte	1	9		X				X	X		X		X		
Opaque	Matte	1	6						X	X		X		X		
Opaque	Matte	1	6		X				X	X		X	X	X		

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green*
POLYESTER CONTINUED						
Neschen Americas	SolvoTex PES Banner 240	Roll ups, pop-up and soft image displays, store signage, murals, POP displays and theatrical backdrops	7.1	Polyester	122, 198	
	SolvoTex Artist 310XC	Giclee art reproductions, museum displays, interior decorating and retail signage	10	Polyester	122, 197	
	SolvoTex Artist Premium Heavy S	Store signage, backlit displays, murals, trade show graphics, POP displays, tent sides, outdoor banners for festivals, concerts, and theatrical backdrops	8.5	Polyester	80, 98, 122, 198	
	SolvoTex Artist Premium Light S	Store signage, backlit displays, murals, trade show graphics, POP displays, tent sides, outdoor banners for festivals, concerts, and theatrical backdrops	5.9	Polyester	80, 98, 122, 198	
	SolvoTex PES Flag Plus 2	Indoor and outdoor flag systems and promotional signage	3.7	Polyester	80, 122, 198	
	SolvoTex TCS 300 Plus 2	Low glare, matte finish for graphic banners and press conference backdrops	8.8	Polyester	122, 198	
	SolvoTex TCS Flag Plus	Indoor and outdoor flag systems and promotional signage	3.2	Polyester	80, 122, 198	
	SolvoTex TCS Voile Plus	Theatrical applications or retail signage	1.3	Polyester	122, 198	
	SolvoTex Theatre 310 Plus	TV, press conference or theater backdrops	8.7	Polyester	122, 198	
	VariTex DecoFrame 250 CA	Trade show display systems and table drapes	8.26	Polyester	41, 60, 98, 122	
Rose Brand		Light diffusion and backlit images		Polyester		
Safety Components	WeatherMax	Solution dyed	8	SaturaMax	60	X
	WeatherMax LT	Awnings, banners, signs	6.5	SaturaMax	60	X
Seattle Textile Company	4 oz. Digitex Deco Light	Banner	4	Polyester		PVC free
	7 oz. Digitex Spacetex	Banner	7	Polyester		PVC free
	7 oz. SIGITEX Standard	Banner	7	Polyester		PVC free
	8 oz. Marquee Billboard	Billboard	8	Polyester		
	9 oz. Digitex Banner	Banner	9	Polyester		PVC free
	10 oz. Digitex Soft Polyester Banner	Banners	10	Polyester		
	10 oz. Image Tex Matte Banner Colors		10	Polyester		
	10 oz. Image Tex Smooth Banner	Banners	10	Polyester		
	11 oz. Digitex Superior Polyester Banner	Banners	11	Polyester		PVC free
	12 oz. Ultra Smooth Whiteout		12	Polyester		
	13 oz. Dynasty	Banners, billboards	13	Polyester		
	13 oz. Eco Frontlit Sign		13	Polyester		
	13 oz. FR Backlit Light Sign		13	Polyester		
	13 oz. FR Frontlit Sign		13	Polyester		
	13 oz. Frontlit Sign		13	Polyester		
	13 oz. Image Tex Matte Banner - Colors		13	Polyester		
	13 oz. Majesty Banner		13	Polyester		
	14 oz. Image Tex-Colors	Banners	14	Polyester		
	14 oz. Ultra Smooth 2-Sided Banner	Banners	14	Polyester		
	15 oz. Blackout 2-Sided Banner		15	Polyester		
	16 oz. Blackout 2-Sided Banner		16	Polyester		
	16 oz. Frontlit Sign		16	Polyester		
19 oz. Blackout 2-Sided Banner		19	Polyester			
19 oz. FR Backlit Sign		19	Polyester			
22 oz. Blackout Sign		22	Polyester			
Verseidag seemee US Inc.	3P Solvent Flag FR	Flags, textile wall hangings	110 g/m ²	Polyester	60, 98, 122	
	3P TruColor Backlit FR	Backlits, trade show backlits	200 g/m ²	Polyester	60, 98, 122	
	3P Value Display FR	Popup displays, booth displays	225 g/m ²	Polyester	60, 98, 122	
	3P Value Premium Backlit FR	Flags, textile wall hangings	265 g/m ²	Polyester	60, 98, 122	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	
Opaque	Matte	1	6		X				X	X		X	X		www.neschenbrands.com info@neschenamericas.com
Opaque	Matte	1	6		X				X			X	X		
Opaque	Matte	1	6		X				X	X		X	X		
	Matte	1	6		X				X			X	X		
Translucent	Matte	1	6		X				X			X	X		
Opaque	Matte	1	24		X				X			X	X		
Translucent	Matte	1	6		X				X			X	X		
Translucent	Matte	1			X				X			X			
Opaque	Matte	1	6		X				X			X	X		
Opaque	Matte	1	6						X	X	X		X		
Translucent	Matte	1							X						www.rosebrand.com digital.printing@rosebrand.com
Opaque		2	60	X	X				x			X	X	X	www.weathermax.net dconine@safetycomponents.com
Opaque		2	36						x			X	X	X	
Translucent	Matte	1	12		X			X	X	X	X	X	X	X	www.seatex.com scott@seatex.com
Translucent	Matte	1	12		X			X	X	X	X	X	X	X	
Translucent	Matte	1	12		X			X	X	X	X	X	X	X	
Translucent	Matte, Gloss	1	36		X			X	X	X	X	X	X	X	
Opaque	Matte	2	12		X			X	X	X	X	X	X	X	
Translucent	Matte	1	12		X			X	X	X	X	X	X	X	
Translucent	Matte	1	36		X			X	X	X	X	X	X	X	
Translucent	Matte	1	36		X			X	X	X	X	X	X	X	
Translucent	Matte	1	12		X			X	X	X	X	X	X	X	
Opaque	Matte	2	36		X			X	X	X	X	X	X	X	
Translucent	Matte, Gloss	1	36		X			X	X	X	X	X	X	X	
Translucent	Matte	1	36					X	X	X	X	X	X	X	
Backlit	Matte	1	36		X			X	X	X	X	X	X	X	
Translucent	Matte	1	36		X			X	X	X	X	X	X	X	
Translucent	Matte	1	36		X			X	X	X	X	X	X	X	
Translucent	Matte, Gloss	1	36		X			X	X	X	X	X	X	X	
Translucent	Gloss	1	36		X			X	X	X	X	X	X	X	
Opaque	Matte	2	36		X			X	X	X	X	X	X	X	
Opaque	Matte	2	36		X			X	X	X	X	X	X	X	
Opaque	Matte	2	36		X			X	X	X	X	X	X	X	
Translucent	Matte	1	36					X	X	X	X	X	X	X	
Opaque	Matte	2	36		X			X	X	X	X	X	X	X	
Backlit	Matte	1	36		X			X	X	X	X	X	X	X	
Opaque	Matte	2	36					X	X	X	X	X	X	X	
Translucent	Matte	1	*C		X			X	X	X	X	X			www.seemeus.com www.3p-inktextiles.com info@seemeus.com
	Matte	1			X			*D	X			X	X		
	Matte	1			X			*D	X		X		X		
	Matte, Semi	1			X			*D	X		X		X		

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by 'S' solvent, 'UV' ultraviolet, 'DI' disperse, 'W' water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green*

POLYESTER CONTINUED

Verseidag seemee US Inc.	3P Value Satin FR	Indoor signs, booth displays	196 g/m ²	Polyester	60, 98, 122	
	3P Value Taft FR	Flags, textile wall hangings	76 g/m ²	Polyester	60, 98, 122	
	Flash	Art reproductions	10	Polyester	61, 122	X
	Insight Heavy	Canvas product	8.5	Polyester	63, 98, 126, 196	X
	Insight Light	Lightweight canvas product	6.75	Polyester	63, 98, 126, 196	X
	Medallion	Lightweight canvas product	7.3	Polyester	61, 122	X
	Metallic	Lightweight canvas product	7.3	Polyester	61, 122	X
	Nightdrop 2 Side	Indoor displays, theatrical, staging, POP/retail.	10	Polyester	61, 122	X
	Poly Heavy Knit FR T	Indoor banners, displays, staging, POP/retail.	8.5	Polyester	60, 122	X
	Poly Light Knit FR T	Indoor banners, displays, theatrical, staging, POP/retail.	5.5	Polyester	60, 122	X
	Radiant	Indoor/outdoor banners, retail, displays, theatrical	3.5	Polyester	61, 122	X
	Sheen	Indoor banners, backlit/lightbox, retail, theatrical	4	Polyester	61, 122	X
	Showtime	Indoor banners, displays, staging, POP	9	Polyester	61, 122	X
	Tex Display PFR	Indirect dye sub	6.5	Polyester	63, 98, 126, 196	X
	Tex Flag PFR	Ttranslucent product; printability and bleed thru.	3.37	Polyester	63, 98, 126, 196	X
	Tex Voile PFR	Sheer, delicate fabric	2.1	Polyester	126, 196	X
	TruColor		2.15	Polyester		
	V300	Theatrical and backdrop applications	9	Polyester, Chlorafiber	126, 196	X
Value Spinnaker		1.77	Polyester			
Ultraflex Systems Inc.	UltraCanvas Artist C325	Art repro, banners/murals	9.6	Polyester	61, 98, 122, 198	
	UltraCanvas Backlit U280	Rear illuminated signs	8.3	Polyester	80, 122, 198	
	UltraCanvas Economy C205	Art repro, banners/murals	6	Polyester	54, 61, 80, 98, 122, 198	
	UltraCanvas Heavy C285	Art repro, banners/murals	8.5	Polyester	80, 122, 198	
	UltraCanvas Light C190	Art repro, banners/murals	5.9	Polyester	80, 98, 122, 198	
	UltraFlag PES C110	Flags, lightweight banners	3.2	Polyester	122, 198	
	UltraPoplin PES C240	Art repro, banners/murals	7.1	Polyester	54, 61, 80, 98, 122, 198	
	UltraTex Blockout C335	Blockout fabric for double sided signs & banners	9.8	Polyester 70% Cotton 30%	110	
	UltraTex Descor	Wall & ceiling fabric w/ frame system	6.6	Polyester, Trevira	82, 98, 122, 161, 198	
UltraTex Descor-Digital	Wall & ceiling fabric w/ frame system	7.2	Polyester, Trevira	122, 161, 198		

POLYESTER COTTON, COATED

Arlon Graphics LLC	DPF 308	PVC liner option	8	Polyester	30, 126/75;39, 150/39	
Aurora Specialty Textiles Group Inc.	VC Canvas	Window displays	11	Polyester 65% Cotton 35%	76	
	VC Semi Gloss Canvas	Outdoor, indoor banners	11	Polyester 65% Cotton 35%	76	
	VC Gloss Canvas	Maps, wallpaper	11	Polyester 65% Cotton 35%	76	
Fisher Textiles	GF 4394 Art Canvas	Banners, fine art	9.5	Polyester 65% Cotton 35%	62, 73, 126	
	GF 5690 Cotton Canvas	Acrylic coating	10	Polyester 65% Cotton 35%	126	
	GF 901 Glossy	Fine art	11.25	Polyester 65% Cotton 35%	104	
	SI 901 Semi-Gloss	Wall murals	11.25	Polyester 65% Cotton 35%	54, 60	
Herculite Products Inc.	3P Trucolor FineArt Canvas	Woven	8.26	Polyester 65% Cotton 35%	30, 42, 54, 64, 72, 98, 122	
	3P Trucolor Historic Canvas	Woven	8.26	Polyester 65% Cotton 35%	30, 42, 54, 64, 72, 98, 122	
Neschen Americas	Pure Color Monet Canvas	Giclee art reproductions, museum displays, interior decorating and retail signage	10	Polyester, Cotton	54, 61	
	SolvoTex No-Lite 335	Interior décor, trade show events and retail décor. Double side printable applications.	9.8	Polyester, Cotton	110	
	SolvoTex No-Lite Double Poly	Interior décor, trade show events and retail décor. Double side printable applications.	13.2	Polyester, Cotton	84	
Tri Vantage LLC	StarfireA	Vinyl, acrylic top coat, awnings	15	Polyester 45% Cotton 55%	60	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *

POLYESTER MESH

Dazian Fabrics	Micron Mesh	PFR translucent; printed panels, space dividers.	2.6	Polyester	120	
Fisher Textiles	GF 3155 Diamond FR		1.8	Polyester	122	
	GF 4744 Lite FR	Warp knit mesh; sheer flag, banners,exhibits	3	Polyester	120	
Ibena Inc.	Fugalite Opac	indoor/outdoor light lightbox or translucent banner material	3	Polyester	72	
MILCO Industries Inc.	1625	Banners	2	Polyester	60	
	1901	Signage	3.4	Polyester	60	
	8913		3.4	Polyester	60	
	10124		3	Polyester	60	
Seattle Textile Company	3 oz. Digitex Flag		3	Polyester		PVC free
	7 oz. Wide Speaker Mesh	Covers	7	Polyester		
	8 oz. Image Tex		8	Polyester		
	8 oz. Image Tex Liner		8	Polyester		
	9 oz. Wide Woven		19	Polyester		
Verseidag seemee US Inc.	3P Value Flag	Flags, textile wall hangings	110 g/m ²	Polyester	60, 98, 122	
	TruColor Voile FR		1.47	Polyester		

POLYESTER MESH, COATED

Bainbridge International Inc.	18 x 18 Mesh		8.5	Polyester		
Cooley Group	Coolmesh	Outdoor building and wall warps requiring airflow	8	Polyester	72", 126", & 196"	
Dazian Fabrics	Coated Deauville	Epoxy coating; speaker covers, projection screens	6.6	Polyester	120	
Fisher Textiles	SI 4244 Lite Mesh	Warp knit; flags, banners, sheer applications.	3.4	Polyester	61, 122	
Graniteville Specialty Fabrics	Avenue	Coated awning fabric	9.5	Polyester	61	
	Vantage	Coated marine fabric	6	Polyester	64	
Herculite Products Inc.	3P MeshTex	Knit	6.34/8.55 w/backing	Polyester	36, 42, 50, 54, 60, 72	*G
Heytex Bramsche GmbH	SR medium B1/M1, 5373-0291		10,0	Polyester	up to 5 m	
	Superior, 5385-0294		4.2	Polyester	up to 500 cm	
	Mesh Air B1/M1, 5380-0291	Signs, wraps	6,9	Polyester	up to 5 m	
	Mesh matte B1/M1, 5071-0290	Signs, wraps	10,0	Polyester	up to 5 m	
	Mesh SR B1/M1, 5371-0291	Signs, wraps	10,9	Polyester	up to 5 m	
Highland Industries	Infinity		7	Polyester	3.2m, 5m	
Luckenhaus Technical Textiles	Sylutex Frontlit STME01280		300 g/m ²	Polyester	3.2, 5m	
	Sylutex Reinforced Edges-SGME02000		260 g/m ²	Polyester	3.2, 5m	
	Sylutex Standard-SGI02081		260 g/m ²	Polyester	3.2, 5m	
	Sylutex Supreme-STME01400		385 g/m ²	Polyester	3.2, 5m	
	Sylutex Tight Weave-STME01010		380 g/m ²	Polyester	3.2, 5m	
Mehler Technologies Inc.	Valmex Plus FR 7520		12	Polyester		
	Valmex Super FR 7523		9	Polyester		
	Valmex/ColorStop FR 7523-5302		9	Polyester		
Neschen Americas	SolveTex PVC Supreme Mesh	For building wraps or construction applications	10.3	Polyester	126, 197	
Obeikan Tecnical Fabrics	Obeflex Summit	Signs, banners, building wraps	350g/m ²	Polyester	192	
Serge Ferrari North America	Decomesh 221	No curl, hang flat	7.4	Tersuisse® PES HT	53, 63, 98, 106	
	Decomesh 331	No curl, hang flat	10	Tersuisse® PES HT	54, 63, 98, 106	
	Soltis 86	No curl, hang flat	11.7	Tersuisse® PES HT	69.7, 105.1	
	Soltis 92	No curl, hang flat	12.4	Tersuisse® PES HT	69.7	
	Stamisol® FT 381	No curl, hang flat	20	Tersuisse® PES HT	105	
	Visionmesh® 331	No curl, hang flat	10	Tersuisse® PES HT	60, 106	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

	Matte		*C		X	X	X		X		X				www.dazian.com
Translucent	Gloss	1	*C	*D	X	Indirect	X				X	X			www.fishertextiles.com info@fishertextiles.com
Translucent	Gloss	1	*C	*D	X	Indirect	X				X	X	X		
Translucent	Matte, Gloss	2	36	X	X	*D	X					X	X		www.ibena.com ibena@ibena.com
Translucent		2				*D				*D					www.milcoind.com mattc@milcosales.com
Opaque		2				*D				*D					
Opaque		2				*D				*D					
Translucent		2				*D				*D					
Translucent	Matte	1	12		X	*D	X	X	X	X		X	X	X	www.seatex.com scott@seatex.com
		1	36		X		X	X	X	X		X	X	X	
		1	36		X		X	X	X	X		X	X	X	
		1	36		X		X	X	X	X		X	X	X	
		1	36		X		X	X	X	X		X	X	X	
Translucent	Matte	1	*C		X	*D	X		X			X	X		www.3p-inktextiles.com info@seemeus.com
Translucent	Gloss			X								X	X		

	Matte			X								X	X		www.bainbridgeint.com mike.cusciae@bainbridgeint.com
		2		X	X			X	X	X		X	X		www.cooleysgroup.com info@cooleysgroup.com
	Matte		6		X	X	X	X	X		X	X	X	X	www.dazian.com
Translucent	Matte	1	*C	*D	X				S			X			www.fishertextiles.com info@fishertextiles.com
Opaque			60 *D	X	*B		X		X						
Opaque			36 *D	X			X		X						
Translucent	Matte	1	6 *D						X		X				www.bantexdigital.com customer@herculite.com
	Matte	1	12	X	*A				X	X		X	X	X	www.heytext.com info@heytext.com
	Gloss	1		X	X				X	X		X	X	X	
	Matte	1	12	X	*A				X	X		X	X	X	
	Matte	1	12	X	*A				X	X		X	X	X	
	Matte	1	12	X	*A				X	X		X	X	X	
Opaque					X							X	X		www.highlandindustries.com ian.raulston@takata.com
		2		X	X	*D					X	X			www.synteen.de koernert@bellsouth.net
		2		X	X	*D					X	X			
		2		X	X	*D					X	X			
		2		X	X	*D					X	X			
		1		X	X							X	X	X	www.mehler-texnologies.com lvia@mehlertex.com
		1		X	X							X	X	X	
		1		X	X							X	X	X	
	Matte	1	18	X	X				X			X	X	X	www.neschenbrands.com info@neschenamericas.com
Translucent		1	*D	*D	*A,*B	*D						X			www.obeflex.com kenan.aljazairie@obeikan.com.sa
Translucent	Matte			X	X				X	X		X	X	X	www.sergeferrari.com
Translucent	Gloss			X	X				X	X		X	X	X	www.ferrarisign.com sales@sergeferrari.com
Translucent	Gloss		60	X	X				X	X		X	X		
Translucent	Gloss		60	X	X				X	X		X	X		
Translucent	Matte		120	X	X				X	X		X	X		
Translucent	Gloss			X	X				X	X		X	X	X	

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green*

POLYESTER MESH, COATED CONTINUED

Snyder Manufacturing Inc.	PCS 1018		10	Polyester	61	
Tri Vantage LLC	AwnTex 160	Awnings	14.3	Polyester	60	
	AwnTexA 120	Awnings	16.8	Polyester	60	
	AwnTexA 70	Awnings	11.7	Polyester	60	
Ultraflex Systems Inc.	Strip Mesh Plus	Peel off liner to catch ink, true mesh for wraps & signs	8	Polyester	54, 63, 80, 98, 126	
	UltraMesh 100	Building, fence and stadium wraps, signs and banners	10	Polyester	126, 196	
	UltraMesh Plus	Building, fence and stadium wraps, signs and banners	8	Polyester	126, 150, 177, 196	
	UltraMesh Supreme	Building, fence and stadium wraps, signs and banners	10	Polyester	126, 196	
Value Vinyls	Grand-Flex 15 Backlit Coated		15	Polyester	126, 196	
	Grand-Flex 7.5		7.5	Polyester	72, 99, 126, 196	
	Rio 9/liner		9	Polyester	54, 62, 98, 126	

POLYESTER, COATED

Aurora Specialty Textiles Group Inc.	Decoprint -Theater	POP, tradeshow	8.5	Polyester	61,122	
	Decoprint - Bi-Night		9.5	Polyester	61,122	
	Decoprint - Silver	Metallic finish	7.5	Polyester	61,122	
	Decoprint - Pearl	Lighted displays	4	Polyester	61,122	
	Decoprint - Stretch	POP	5.5	Polyester	58,118	
	Malibu Canvas GF		10.5	Polyester	120	
	VC Poly Banner Light	Banners, flags	4	Polyester	54, 60, 61	
	VC Poly Woven 8 oz	Banners, flags	8	Polyester	61	
	VC Poly Oxford	Theatrical displays	8	Polyester	54	
DHJ International	Acquanight		9.4	Polyester	61, 122	
	Acquasun	Back lit applications	5.2	Polyester	61, 122	
	Bi-Face	Non curl 2 sided printable	11.5	Polyester	61, 122	
	Bi-Night	Exhibits,displays, retail store fronts	9.4	Polyester	61, 122	
	Crystal	Outdoor backlit, banner applications	5.5	Polyester	61, 122	
	Diamond	Diamond surface effect	8.3	Polyester	61, 122	
	Gold	Gold surface effect	8.3	Polyester	61, 122	
	Grain	Artist canvas	12.5	Polyester	61, 122	
	Pearl	Back lit applications	3.9	Polyester	61, 122	
	Silver Flag Liner FR	Silver surface effect	8.3	Polyester	61, 122	
	Stretch	Stretch	5.5	Polyester	60, 120	
	Tent	Outdoor tent structures	5.3	Polyester	100	
	Theater		8.5	Polyester	61, 122	
Fisher Textiles	AQ 450 Poly Taffeta	Banners, indoor	3.2	Polyester	60	
	AQ 460 Micro Poly	Banners, removeable backing	2.5	Polyester	60	
	AQ 510 Poly Duck		6.2	Polyester	60	
	DD 1500 Dacron	Direct disperse dye	3	Polyester	57	
	DD 2525 Dacron	Woven; flags and banners	4	Polyester	57	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

				X	*D				X						www.snyderman.com sales@snyderman.com
*D				X	X										www.trivantage.com dnelson@trivantage.com
*D			60	X											
*D			60	X	X										
		1	*C		X				S,UV	X		X	X	X	www.ultraflexx.com info@ultraflexx.com
		2	*C		X				S,UV			X	X	X	
		2	*C		X				S,UV			X	X	X	
		2	*C		X				S,UV	X		X	X	X	
Translucent	Matte	1		X	X				X			X	X	X	www.valuevinyls.com info@valuevinyls.com
Translucent	Matte	2			X				X	X		X	X	X	
Translucent	Matte	1							X	X		X	X	X	

Opaque		2	*C	X	*B	Indirect			S,UV			X	X	X	www.auroratextile.com customerservice@auroratextile.com
		2	*C	X	*B				S,UV			X	X	X	
		1	*C		*B	Indirect			S,UV			X	X	X	
Translucent		1	*C		*B	Indirect			S,UV	X	X	X	X	X	
		1	*C						S,UV			X	X	X	
		1	*C						S,UV	X			X	X	
		1	*C									X	X	X	
		1	*C						S,UV			X	X	X	
		1	*C						S,UV			X	X	X	

Opaque	Matte	1	24 Indoors	X	*A	X	X		X	X			X		www.decoprint.eu bhumphries@decoprint.fr
Translucent	Gloss	1	24 Indoors	X	*A	X	X		X	X			X		
	Gloss	2	24 Indoors	X	*A				X	X			X		
Opaque	Matte	2	36 Indoors	X	*A				X	X	X	X	X	X	
Translucent	Gloss	1	24 Outdoors	X	*A				X	X		X	X	X	
	Gloss	1	24 Indoors	X	*A				X	X		X	X	X	
	Gloss	1	24 Indoors	X	*A				X	X		X	X	X	
	Gloss	1	24 Indoors	X	*A				X	X		X	X	X	
Translucent	Gloss	1	24 Indoors	X	*A	Indirect	X		X	X		X	X	X	
	Gloss	1	24 Indoors	X	*A				X	X		X	X	X	
Translucent	Gloss	1	24 Indoors	X	*A				X	X		X	X	X	
	Gloss	1	24 Outdoors	X	*A	X	X		X						
Opaque	Gloss	1	24 Indoors	X	*A				X	X		X	X	X	

Opaque		1	*C	*D	X				*W, pigmet, dye-based		X				www.fishertextiles.com info@fishertextiles.com
Translucent		1	*C	*D	X				*W, pigmet, dye-based		X				
Opaque		1	*C	*D	X				*W, pigmet, dye-based		X				
Translucent		1	*C	*D	X	Direct					**DI				
	Gloss	1	*C	*D	X	**DI					**DI				

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *
POLYESTER, COATED CONTINUED						
Fisher Textiles	DD 2560 Duck	Duck with rugged canvas look	6.5	Polyester	57, 70	
	DD 4030 Hercules FR	Ripcord woven; signs, banners	8.8	Polyester	58	
	DD 7299 Poplin FR		4	Polyester	120	
	DD 7801 Flag	Warp knit; outdoor flags,banners	4	Polyester	120	
	DD 7807 Power Stretch	Warp knit; pop-up booths.	8.8	Polyester 94% Lycra 6%	120	
	DD 7817 Soft Knit	Knit; banners, signs,exhibits.	5.9	Polyester	122	
	DD 7860 Heavy Duck FR		7.6	Polyester	120	
	DD 7880 Heavy Knit	Knit; pop up displays	9	Polyester	122	
	DD 9374 Tri Poly FR		7.5	Polyester	122	
	DD 9399 Firesafe FR	Bar knit; trade show exhibits.	5.7	Polyester	69	
	ES 400 Lite Poly	Square weave; banners, signs, exhibits	4.5	Polyester	58	
	GF 4308 Art Canvas		13	Polyester	63, 98, 126	
	SI 2425 Satin	Satin fabric with a high Sheen; indoors	3	Polyester	58	
	SI 300 Poly Taffeta	Taffeta ; banner stands and banners	5.2	Polyester	58	
	SI 310 Paperbacked Flag		3.2	Polyester	54	
	SI 4418	Warp knit engineered; banners, signs, exhibits	7	Polyester	60, 120	
	SI 4849 Heavy Knit	Knit; back drops.	10.5	Polyester	120	
	SI 6000 Duck	Polyester duck with canvas look	8.8	Polyester	70	
	SI 70 PVC	Taffeta fabric	8.6	Polyester	58	
	SI 8300 Hercules	Ripcord woven; signs, banners	9.7	Polyester	58	
SI 8800 Poplin	Poplin; banners, trade show exhibits	5.2	Polyester	70		
Silver Flag Liner FR	Liner; flag fabric	1.9	Polyester	110		
Herculite Products Inc.	3P Express Heavy Banner	Knit	5.9	Polyester	36, 42, 50, 54, 60, 72	*G
	3P FlagTex	Knit	3.24/5.46 w/backing	Polyester	24, 36, 42, 50, 54, 60, 72	
	3P Polyester FR	Knit	3.24/5.46 w/backing	Polyester	24, 36, 42, 50, 54, 60, 72	*G
	3P Polygloss FR	Knit	3.69/5.90 w/backing	Polyester	24, 36, 42, 50, 54, 60, 72	*G
	3P Polyvoile FR	Woven	1.47/3.67 w/backing	Polyester	24, 36, 42, 50, 54, 60, 72	*G
	3P Silk Crepe	Silk	1.76/3.98 w/backing	Polyester,Silk	35	*G
	3P Trucolor Banner Gloss FR	Knit	4.42	Polyester	30, 42, 54, 64, 72, 98, 122	
	3P Trucolor Display FR	Knit	5.75/8.11 w/backing	Polyester	30, 42, 54, 64, 72, 98, 122	*G
	3P Trucolor Flag	Knit	3.24/5.46 w/backing	Polyester	30, 42, 54, 64, 72, 98, 122	*G
	3P Trucolor Flag FR	Knit	3.24/5.46 w/backing	Polyester	30, 42, 54, 64, 72, 98, 122	*G
	3P Trucolor Spinmaker	Woven	2.15	Polyester	30, 42, 54, 64, 72, 122	
	3P Trucolor Voile FR	Woven	1.47/3.68 w/backing	Polyester	30, 42, 54, 64, 72, 118	*G
	3P Universal Evo FR		4.72	Polyester 70% Polyamide 30%	60	*G
Heytex Bramsche GmbH	Backlit FR, 5505-0301		19.1	Polyester	up to 500cm	
	Backlit light eco, 5006-0301		13.2	Polyester	up to 5m	
	Backlit light FR, 6005-0301		13.5	Polyester	up to 500cm	
	Banner, 2520-0292	Banner	15.9	Polyester	up to 500 cm	
	Blockout 5512-0026	Digital printing	22.4	Polyester	up to 500 cm	
	Blockout FR B1/M1, 3512-0026		22.4	Polyester	up to 500 cm	
	Digiline PE 7860-0295	Polyethylene	3.9	Polyester	up to 320 cm	X
	Digiline PP 7850-0295	Polypropylene	4.8	Polyester	up to 320 cm	X
	Frontlit FR B1/M1, 6571-0295	Signs	16.2	Polyester	up to 500cm	
	Frontlit light B1, 5469-0295	Signs	13	Polyester	up to 5 m	
	Frontlit light eco FR 6022-0295	Signs	13.2	Polyester	up to 500cm	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

Opaque		1	*C	*D	X	**DI					**DI				www.fishertextiles.com info@fishertextiles.com	
Opaque	Gloss	1	*C	*D	X	**DI					**DI					
		1	*C	*D	X	Direct					**DI					
Translucent	Gloss	1	*C	*D	X	**DI					**DI					
Opaque		1	*C	*D	X	**DI					**DI					
Opaque		1	*C	*D	X	**DI					**DI					
Opaque		1	*C	*D	X	Direct	X				**DI		X			
Opaque		1	*C	*D	X	**DI					**DI					
Opaque		2	*C	*D	*B	Direct					**DI					
		1	*C	*D	X	**DI					**DI					
Opaque		1	*C	*D	X				S, UV	X	**S	X	X	X		
Opaque	Gloss	1	*C	*D	X				X		X	X	X	X		
	Gloss	1	*C	*D	X				S, UV		**S	X	X	X		
	Gloss	1	*C	D	X				S, UV		X	X	X	X		
Translucent		1	*C	D	X				X		X	X	X	X		
Opaque		1	*C	*D	X				S, UV		X	X	X	X		
Opaque		1	*C	*D	X				S, UV		X	X	X	X		
Opaque		1	*C	*D	X				S, UV		X	X	X	X		
Opaque		1	*C	D	X				S, UV		X	X	X	X		
Opaque		1	*C	D	X				S, UV		X	X	X	X		
Opaque		1	*C	D	X				S, UV		X	X	X	X		
Opaque	Gloss	1	*C	*D	X				S, UV		X	X	X	X		
Translucent	Matte	1							X		X				www.bantexdigital.com customer@herculite.com	
Translucent	Matte	1							X		X					
Translucent	Matte	1			*B				X		X					
Translucent	Gloss	1			*B				X		X					
Translucent	Matte	1			X				X		X					
Translucent	Gloss	1							X		X					
Translucent	Gloss	1			*A				X		X	X	X	X		
Translucent	Matte	1			*B				X		X	X	X	X		
Translucent	Matte	1							X		X	X	X	X		
Translucent	Matte	1			*B				X		X	X	X	X		
Translucent	Matte	1							X		X	X	X	X		
Translucent	Matte	1			*B				X		X	X	X	X		
Translucent	Matte	1			*A				X	X	X	X	X	X		
Translucent	Matte	1	12	X	*A				X	X	X	X	X	X		www.heytext.com info@heytext.com
Translucent	Matte	1	5	X					X	X	X	X	X	X		
Translucent	Matte	1	6	X	*A				X	X	X	X	X	X		
	Gloss	1	12	X	X				X	X	X	X	X	X		
Opaque	Matte	2	12	X					X	X	X	X	X	X		
Opaque	Matte	2	12	X	*A				X	X	X	X	X	X		
	Matte	1							X	X		X				
	Matte	1							X	X		X				
	Matte	1	6	X	*A				X	X	X	X	X	X		
	Matt	1	12	X	*A				X	X	X	X	X	X		
	Matte	1	*D		*A				X	X	X	X	X	X		

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by 'S' solvent, 'UV' ultraviolet, 'DI' disperse, 'W' water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *
POLYESTER, COATED CONTINUED						
Heytex Bramsche GmbH	Frontlit light eco, B1 5022-0295		13.2	Polyester	up to 500cm	
	Frontlit light FR, 6471-0295		13.2	Polyester	up to 500cm	
	Frontlit matte, 5521-0295		16.2	Polyester	up to 500cm	
	Heylight, 5500-0300		20	Polyester	up to 500cm	
	Side curtain 5551-0290	Side curtains	7.8	Polyester	up to 320 cm	
	Soft plus, 6803-0291		10,3	Polyester	up to 5 m	
	Truck tarpaulin 5560-0292	Truck tarps	5.8	Polyester	up to 300 cm	
Ibena Inc.	Blockout Doubleprint	Indoor/outdoor light banner material	7	Polyester	59, 118	
	Blockout Soft	Indoor/outdoor light banner material	7	Polyester	59, 118	
	PES Deco	Indoor banner & tent material	7.5	Polyester	126	
Mehler Technologies Inc.	Valmex Airtex FR 7513	PVC coated, marine	8	Polyester		
	Valmex Airtex GT 7533	PVC coated, marine	7	Glass		
	Valmex Airtex Inlight FR 7585	PVC coated, marine	5	Polyester		
	Valmex Airtex Magic Duo FR 7535	PVC coated, marine	10	Polyester		
	Valmex Airtex Magic FR 7535	PVC coated, marine	10	Polyester		
	Valmex Backlit I FR 7514	Building and product advertising	18	Polyester		
	Valmex Backlit II FR 7530	Building and product advertising	14	Polyester		
	Valmex Blockout I 8235	Building and product advertising	22	Polyester		
	Valmex Blockout II FR 7527	Building and product advertising	23	Polyester		
	Valmex FR Blockout Easy 7504-5998	Building and product advertising	19	Polyester		
	Valmex Frontlit I 7509	Building and product advertising	16.5	Polyester		
	Valmex Frontlit II 7525	Building and product advertising	15	Polyester		
	Valmex Frontlit II FR 7526	Building and product advertising	15	Polyester		
	Valmex Truck 8205-5945	Side curtains, traffic advertising	20	Polyester		
	Valmex8556-5943	Side curtains, traffic advertising	27	Polyester		
Valmex8556-5945	Side curtains, traffic advertising	27	Polyester			
Neschen Americas	SolvoTex PVC Black Back FL	Economical blackout applications for single side printing, billboards, banners and signage	14.7	Polyester	126, 197	
	SolvoTex PVC Premium BL	Billboards, banners, signage and backlit applications	14.7	Polyester	126, 197	
	SolvoTex PVC Premium FL	Billboards, banners, signage and frontlit applications	14.7	Polyester	54, 61, 80, 98, 126, 197	
	SolvoTex PVC Standard Blockout	Blockout applications for double side printing, billboards, banners and signage	15.2	Polyester	54, 83, 98, 126, 189	
Obeikan Technical Fabrics	Obeflex Superlite Fr	Banners, billboards, tradeshow	380 g/m ²	Polyester	192	
Safety Components	WeatherMax FR	Awnings	9.5	SaturaMax	60	
Serge Ferrari North America	502 Color Design	No curl, hang flat	17.4	Tersuisse® PES HT	70.9	
	Decolit® 251	No curl, hang flat	9.5	Tersuisse® PES HT	35, 43, 53, 63, 98, 106	
	Decolit® BW 251	No curl, hang flat	9.5	Tersuisse® PES HT	35, 63	
	Decolit® Pearly 251	No curl, hang flat	9.5	Tersuisse® PES HT	35, 63	
	Expolit® 4516	No curl, hang flat	23.9	Tersuisse® PES HT	63, 102	
	Expolit® 456	No curl, hang flat	14.7	Tersuisse® PES HT	35, 43, 53, 63, 98, 106	
	Expolit® 4693		18.4	Tersuisse® PES HT	43, 54, 63, 98	
	Expolit® Flash 4695		19	Tersuisse® PES HT	63, 102	
Sign-It® Solvent 4696		14.7	Tersuisse® PES HT	54		
Tri Vantage LLC	Main Street	Banners, acrylic coated	10.7	Polyester	60-61	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	
	Matte	1	6		*B				X	X		X	X	X	www.heytex.com info@heytex.com
	Matte	1	6	X	*A				X	X		X	X	X	
	Matte	1	12	X					X	X		X	X	X	
Translucent	Gloss	1	12	X	*A			X	X	X		X	X	X	
	Matte	1		X					X	X		X	X	X	
	Matte	1	72	X	*A				X	X		X	X	X	
	Matte	1		X					X	X		X	X		
Opaque	Matte	2	24		X							X	X	X	www.ibena.com ibena@ibena.com
Opaque	Matte	2	24		X	Indirect	X					X	X	X	
	Gloss	1	12		X							X	X	X	
	Matte	1		X	X					X		X	X	X	www.mehler-texnologies.com lvia@mehlertex.com
	Matte	1		X	X					X		X	X	X	
	Matte	1		X	X							X	X	X	
	Gloss	1		X	X					X		X	X	X	
	Gloss	2		X	X					X		X	X	X	
Translucent	Matte	1		X	X							X	X	X	
Translucent	Matte	2		X	X							X	X	X	
Opaque	Matte	2		X								X	X	X	
Opaque	Matte	2		X	X							X	X	X	
Opaque	Matte	2		X	X					X		X	X	X	
	Matte	1		X								X	X	X	
	Gloss	1		X								X	X	X	
	Matte	1		X	X					X		X	X	X	
	Matte	1		X						X		X	X	X	
	Matte	1		X								X	X	X	
	Glossy	1		X						X		X	X	X	
Opaque	Matte	1	18	X	X				X			X	X	X	www.neschenbrands.com info@neschenamericas.com
Opaque	Matte	1	18	X	X				X			X	X	X	
Opaque	Matte	1	18	X	X				X	X		X	X	X	
Opaque	Matte	2	18	X	X				X			X	X	X	
Translucent		1	*D	*D	*A,*B	*D						X			www.obeflex.com kenan.aljazairie@obeikan.com.sa
Opaque		1	60		*A,*B	*D	X		X			X	X	X	
Translucent	Gloss		60,96	X	X		X	X	X	X		X	X		www.sergeferrari.com www.ferrarisign.com sales@sergeferrari.com
Translucent	Matte			X	X				X	X		X	X	X	
	Matte			X	X				X	X		X	X	X	
Translucent	Gloss			X	X				X	X		X	X	X	
Opaque	Matte	2		X					X	X		X	X	X	
Translucent	Matte, Gloss	2		X	X				X	X		X	X	X	
Opaque	Matte	2		X	X				X	X		X	X	X	
Translucent	Gloss			X	X				X	X		X	X	X	
Translucent	Matte			X	X				X	X		X	X	X	
*D			60,*D	X	X										

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *

POLYESTER, COATED CONTINUED

Ultraflex Systems Inc.	BIOFlex	Earth-friendly, biodegradable PVC for front-lit signs & banners	15	Polyester	54, 63, 72, 98, 126, 196	X
	Ultima Supreme	Front-lit signs & banners	15	Polyester	63, 80, 98, 126, 196	
	Ultralon IV	Back-lit signs in light boxes (long term)	20	Polyester	42, 54, 66, 78, 90, 102, 126, 150, 196	
	Vulite Supreme	Back-lit signs in light boxes	15	Polyester	126, 196	
Value Vinyls	EcoLogic Solvent Recyclable Banner		16	Polypropylene	54, 63, 98	X
	EcoLogic UV Recyclable Banner		16	Polypropylene	54, 63, 98, 122	X
Verseidag seemee US Inc.	3P Viles Wallpaper	Woven, wallpaper application	190 g/m ²	Polyester 70% Polyamide 30%		

POLYESTER, LAMINATED

Arlon Graphics LLC	DPF 303	Super smooth	13	Polyester	30, 126	
	DPF 313	Solvent Ink receptive	13	Polyester	30-196,	
	DPF 315		15	Polyester	30-196	
	Wide Flex 6		18	Polyester	39	
Cooley Group	Coolflex Backlit	Backlit signs	16	Polyester	widths up to 196"	
	Coolflex Backlit	Backlit signs	20	Polyester	widths up to 196"	
	Coolflex Black/White	Billboards, banners, backdrops	10	Polyester	widths up to 196"	
	Coolflex Black/White	Billboards, banners, backdrops	12	Polyester	widths up to 196"	
	Coolflex Blockout	Double sided banners, backdrops	15	Polyester	72" & 165"	
	Coolflex Frontlit	Billboards, banners, backdrops	10	Polyester	widths up to 196"	
	Coolflex Frontlit	Billboards, banners, backdrops	10	Polyester	widths up to 196"	
	Coolflex Frontlit	Billboards, banners, backdrops	14	Polyester	widths up to 196"	
	Coolflex Rigid	Banners, billboards	15	None	48", 52", 60"	
	EnviroFlex Lite	Billboards	7	Polyester	widths up to 196"	
	EnviroFlex Lite B/W	Panel-free billboards	7	Polyester	widths up to 196"	
	Weatherlyte	Awnings, banners	16	Polyester	74"	
Weatherlyte Lite	Awnings, banners	11	Polyester	74"		
Fisher Textiles	480 L Soft Poly Pad	Flexible alternative to foam core boards; retail signage	20.3	Polyester	60	X
	4983 Ultimate Suede FR		14	Polyester	56	
	Crazy 8 Billiard Fabric	Billiard tables	9	Polyester	61	
	Opak Poplin		11.7	Polyester	62	
	Opak Satin		11.6	Polyester	58	
	SI 4418 Blockout		15.8	Polyester	118	
Herculite Products Inc.	Bantex 10 oz. One-sided	Digital banner media	10	Polyester	30, 37.5, 54, 61, 74.5	
	Bantex 10 oz. Two-sided	Digital banner media	10	Polyester	37.5, 54, 61, 75	
	Bantex 13 oz. One-sided	Digital banner media	13	Polyester	36, 54, 61, 75, 80	
	Bantex 13 oz. One-sided gloss	Digital banner media	13	Polyester	25, 30, 36, 54, 61, 72	
	Bantex 13 oz. Two-sided	Digital banner media	13	Polyester	30, 37.5, 54, 61, 74.5	
	Bantex 18 oz.. Two-sided	Digital banner media	18	Polyester	37.5, 54, 61, 75, 80	
	Bantex 13 oz. Curl Free Two-sided	Digital banner media	13	Proprietary	36, 54, 72	
	Bantex Biillboard 98	Banners	13	Polyester	98	
	Bantex Wallcover	Wallcoverings	10	Polyester	54, 55.5	
	Printer Choice PC13	Screenprint banner media	13	Polyester	36. 54, 72	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

	Matte	1	*C		X				S, UV	X		X	X	X	www.ultraflexx.com info@ultraflexx.com
	Matte	1	*C		X				S, UV	X		X	X	X	
Translucent		1	*C		X				S, UV			X	X	X	
Translucent	Matte	1	*C		X				S, UV	X		X	X	X	
Translucent	Matte	1						X	X			X		X	www.valuevinyls.com info@valuevinyls.com
Translucent	Matte	1						X	X				X		
	Matte	1			X	*D	X			X	X				www.3p-inktextiles.com info@seemeeus.com

Opaque	Matte	2	12	X	X			X	X			X	X	X	www.arlon.com hcurtis@aron.com
	Matte, Gloss	1	12	X	X			X	X			X	X	X	
Opaque	Matte, Gloss	2	12	X	X			X	S, UV			X	X	X	
Translucent		2	72	X	X			X	X			X		X	

Mesh	Matte	2		X	X		X	X	X	X		X	X		www.cooleysgroup.com www.weathertyte.com info@cooleysgroup.com
	Matte/Opaque			X	X							X	X		
	Matte/Opaque			X	X							X	X		
Opaque	Matte	2		X	X		X	X	X	X		X	X		
	Matte/Opaque	1		X	X		X	X	X	X		X	X		
Opaque	Matte/Opaque	2	12	X	X		X	X	X	X		X	X		
Mesh	Matte	1	96	X	X		X	X	X	X		X	X		
Mesh	Matte	1	60	X	X		X	X	X	X		X	X		

Opaque		1	*C	D	*B	Indirect	X				X	X	X		www.fishertextiles.com info@fishertextiles.com
Opaque		1	*C	D	*B	Indirect	X				X	X	X		
Opaque		1	*C	D	*B	Indirect	X				X	X	X		
Opaque	Matte	2	*C	D	*B	Indirect	X				X	X	X		
Opaque	Gloss	2	*C	D	*B	Indirect	X				X	X	X		
Opaque		1	*C	D	*B				X			X	X	X	

Translucent	Matt	1	60 Indoor, 6 Outdoor	X				X	X	X		X	X	X	www.bantexdigital.com customercare@herculite.com
Opaque	Matte	2	60 Indoor, 6 Outdoor	X				X	X	X		X	X	X	
Translucent	Matte	1	60 Indoor, 12 Outdoor	X				X	X	X		X	X		
Translucent	Gloss	1	60 Indoor, 6 Outdoor	X	X			X	X	X		X	X	X	
Opaque	Matte	2	60 Indoor, 6 Outdoor	X				X	X	X		X	X	X	
Opaque	Matte	2	60 Indoor, 60 Outdoor	X				X	X	X		X	X	X	
Opaque	Matte	2	60 Indoor, 6 Outdoor	X				X	X	X		X	X	X	
Translucent	Gloss	1	60 Indoor, 12 Outdoor	X				X	X	X		X	X	X	
Translucent	Matte	1	84 Indoors						X	X		X	X	X	
Opaque	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *
POLYESTER, LAMINATED CONTINUED						
Herculite Products Inc.	Printers Choice PCXtreme Lite	Screenprint banner media	12	Polyester	36, 54, 72	
	Printers Choice PC10	Screenprint banner media	10	Polyester	36, 54, 72	
	Printers Choice PC12	Screenprint banner media	12	Polyester	36, 54, 72	
	Printers Choice PC12 FR	Screenprint banner media	12	Polyester	36, 54, 72	
	Printers Choice PCUltra	Screenprint banner media	10	Polyester	36, 54, 72	
	Printers Choice PCXtreme Dark	Screenprint banner media	15	Polyester	36, 54, 72	
	Printers Choice PCXtreme Plus	Screenprint banner media	18	Polyester	36, 54, 72	
Heytex Bramsche GmbH	Laminated Backlit		9,5	Polyester	up to 3,40m	
	Laminated Blockout		15	Polyester	up to 3,0m	
	Laminated Dual Color	Black or grey back available	9,5	Polyester	up to 3,4m	
	Laminated Frontlit		9,5	Polyester	up to 3,4metres	
Neschen Americas	SolvoPrint Gotham PVC Blockout	Double side printable applications, roll up display stands, POP signage	13	Polyester	38, 54, 63	
Snyder Manufacturing Inc.	901018K Advertex Plus	Banners	10	Polyester	24, 36, 48, 54, 60, 72	
	Advertex Silk	Banners	13	Polyester	38, 54, 62, 72	
	PRV1018Q Neon Advertex Plus	Banners	10	Polyester	25, 36, 61, 72	
	PRV1310R WeatherSpan Plus	Banners	17	Polyester	24, 30, 36, 48, 54, 61, 72	
	PRV1610R	Banners	16	Polyester	61	
PRV1610R B/O WeatherSpan Plus	Banners	16	Polyester	61, 72		
Tri Vantage LLC	Patio 500	Awnings, canopies	17.5	Polyester	61	
	Pennant Cloth	Indoor, outdoor banners	7.5	Polyester	18, 36, 72	
Ultraflex Systems Inc.	Artex Canvas	Art repro, banners/murals	9.4	Polyester	54, 63, 126, 196	
	Billboard 420/Billboard 420 Eclipse	Billboards and short-term signage, Eclipse version has a black back	8.5	Polyester	126, 193	
	DSS	Blockout vinyl for double sided signs & banners, POP/POS	15	Polyester	39, 54, 63, 72, 80	
	JetFlex/Normandy Pro	Front-lit signs & banners & billboards	13	Polyester	30, 38, 39, 54, 63, 64, 72, 80	
	SuperPrint Plus	Front-lit signs & banners	13	Polyester	38, 54, 63, 72, 80, 98, 102, 126	
	SuperPrint Plus Eclipse	Front-lit signs, banners & billboards with a black back from complete opacity	13	Polyester	126, 150, 177, 196	
	SuperSmooth Blockout	Blockout vinyl for double sided signs, roll up stands, POP/POS	16	PET	38, 54, 63, 86	X
	UltraBanner	Front-lit signs & banners	10	Polyester	30, 38, 54, 63, 64, 72, 80	
	UltraBlockout Banner Pro	Blockout vinyl for double sided signs, roll up stands, POP/POS	15	Polyester	54, 64, 80, 98, 126	
	UltraVision	Window perforated vinyl for window graphics	6.3	Polyester, PE, Silicone	39, 54	
	Vulite Pro	Back-lit signs in light boxes	15	Polyester	54, 98, 126, 169, 196	
Wallscapes	Wallpaper and wall graphic material	20	Polyester	54		
Value Vinyls	Ad-Flex 12 Black Back Gloss	Billboards, banners	12	Polyester	150, 174, 196	
	Ad-Flex 12 Black Back Matte	Billboards, banners	12	Polyester	150, 174, 196	
	Ad-Flex 12 White Back Gloss	Billboards, banners	12	Polyester	150, 174, 196	
	Ad-Flex 12 White Back Matte	Billboards, banners	12	Polyester	150, 174, 196	
	Ad-Flex 15 Opaque Ultra-Smooth	POP, street banners	15	Polyester	126	
	Ad-Flex 8.5 Black Back Gloss	POP, street banners	8.5	Polyester	150, 174, 196	
	Ad-Flex 8.5 Black Back Matte	POP, street banners	8.5	Polyester	150, 174, 196	

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	www.bantexdigital.com customercare@herculite.com
Translucent	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	
Opaque	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	
Opaque	Matte		60 Indoor, 6 Outdoor	X	X	Indirect	X	X	X	X		X	X	X	
Translucent	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	
Opaque	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	
Opaque	Matte		60 Indoor, 6 Outdoor	X		Indirect	X	X	X	X		X	X	X	
Translucent	Matte, Gloss	1	X	*D	*B				X	X		X	X	X	www.heytex.com info@heytex.com
Opaque	Matte, Gloss	2	72	*D	*B				X	X		X	X	X	
Opaque	Matte, Gloss	1	72	*D	*B				X	X		X	X	X	
	Matte, Gloss	1	72	*D	*B				X	X		X	X	X	
Opaque	Matte	2	6						X			X	X	X	www.neschenbrands.com info@neschenamericas.com
Translucent				X	X			X	X						www.snyderman.com sales@snyderman.com
Opaque	Matte			X	X			X	X						
Translucent				*D	X			X	X						
Translucent				X	X			X	X						
Translucent				X	X			X	X						
Opaque				X	X			X	X						
*D	Matte		60, *D	X	X										www.trivantage.com dnelson@trivantage.com
Translucent	Gloss	2							X			X	X	X	
		1	*C		X				S, UV	X		X	X	X	www.ultraflexx.com info@ultraflexx.com
	Matte	1	*C		X				S, UV	X		X	X	X	
Opaque	Matte	2	*C		X				S, UV	X		X	X		
	Matte, Gloss	1	*C		X				S, UV	X		X	X		
	Matte, Gloss	1	*C		X				S, UV	X		X	X		
Opaque	Matte, Gloss	1	*C		X				S, UV	X		X	X		
Opaque	Matte	2	*C						S, UV			X	X		
	Matte, Gloss	1	*C		X				S, UV	X		X	X		
Opaque	Matte	2	*C		X				S, UV	X		X	X		
Translucent		1	*C		X				S, UV			X	X		
Translucent	Matte, Gloss	1	*C		X				S, UV	X		X	X		
		1	*C		X				S, UV			X	X		
Opaque	Gloss	1		X	X			X	X			X	X	X	
Opaque	Matte	1		X	X			X	X			X	X	X	
Translucent	Gloss	1		X	X			X	X			X	X	X	
Translucent	Matte	1		X	X			X	X			X	X	X	
Opaque	Matte	2						X	X			X	X	X	
Opaque	Gloss	1		X	X			X	X			X	X	X	
Opaque	Matte	1		X	X			X	X			X	X	X	

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by "S" solvent, "UV" ultraviolet, "DI" disperse, "W" water-based.

COMPANY NAME	TRADE NAME OF FABRIC	FACTS	CONSTRUCTION			
			Weight oz/sq yd	Base fabric	Finished widths	Green *

POLYESTER, LAMINATED CONTINUED

Value Vinyls	Ad-Flex 8.5 White Back Gloss	Billboards, outdoor banners	8.5	Polyester	196	
	Ad-Flex 8.5 White Back Matte	Billboards, outdoor banners	8.5	Polyester	150, 174, 196	
	Ad-Flex Turbo 13 Matte	Billboards, outdoor banners	13	Polyester	39, 54, 63	
	Freedom 10 Matte	POP aisle banners	10	Polyester	24, 26, 36, 37, 48, 54, 72, 74, 80	
	Freedom 13 Gloss	POP aisle banners	13	Polyester	26, 36, 48, 54, 61, 74	
	Freedom 13 Matte	POP aisle banners	13	Polyester	36, 48, 54, 61, 72	
	Freedom 13 Opaque Matte	POP aisle banners	13	Polyester	36, 54, 62, 72	
	Freedom 13 Opaque Ultra-Smooth	POP aisle banners	13	Polyester	36, 54, 72	
	Freedom 16 Opaque Gloss	POP aisle banners	16	Polyester	26, 37, 48, 74	
	Freedom 16 Opaque Matte	POP aisle banners	16	Polyester	36, 54, 72	
	Freedom 18 Opaque Gloss	POP aisle banners	18	Polyester	74	
	Freedom Extra 10 Matte	POP aisle banners	10	Polyester	36, 54, 62	
	Freedom Extra 13 Matte	POP aisle banners	13	Polyester	36, 54	
	PET 15 Opaque Ultra-Smooth FR	No curl, banners		Scrimless	39, 54, 63, 80	
	Rio 12 Opaque Ultra-Smooth	Building wraps, street banners	12	Polyester	36, 38, 54, 63, 64, 72, 80, 98, 102, 126	
	Rio 13 840 FR Gloss	Building wraps, street banners	13	Polyester	38, 54, 63, 98	
	Rio 13 840 FR Matte	Building wraps, street banners	12	Polyester	38, 54, 63, 72, 80, 98, 126	
	Rio 13 FR Black Back Gloss	Building wraps, street banners	13	Polyester	73, 126	
	Rio 13 FR Black Back Matte	Building wraps, street banners	13	Polyester	73, 126	
	Rio 13 FR Gloss	Building wraps, street banners	13	Polyester	38, 54, 62, 73, 80, 98, 126	
Rio 13 FR Matte	Building wraps, street banners	13	Polyester	38, 54, 62, 73, 80, 98, 102, 126		
Rio 18 Opaque Matte	Building wraps, street banners	18	Polyester	38, 54, 72, 126		

POLYETHYLENE

Cooley Group	EnviroFlex PE Frontlit	Billboard, banners	2.8	Polyethylene	126"	*G
	EnviroFlex PE Frontlit	Billboard, banners	5.3	Polyethylene	196"	*G
	EnviroFlex PE Poster	Posters, paper replacement	3.2	Polyethylene	126"	*G
	EnviroFlex PE BlockOut	Double-sided banners, backdrops	12	Polyethylene	126"	*G

PVC FREE

Heytex Bramsche GmbH	Digitex® blockout UV 7890-0026	Indoor applications	9.4	Polyester	up to 310 cm	X
	Digitex® Deco 7811-0291	Indoor applications	8.5	Polyester	155 cm, 310 cm	X
	Digitex® Deco light 7810-0291	Indoor applications	3.9	Polyester	155 cm, 310 cm	X
	Digitex® Front-light 7722-0295	Indoor applications	4.8	Polyester	up to 500 cm	X
	Digitex® Heylux 7806-0401	Indoor applications	7	Polyester	up to 500 cm	X
	Digitex® Opaque 7880-0026	Indoor applications	9.4	Polyester	155 cm, 310 cm	X
	Digitex® Premium 7804-0295	Indoor applications	4.1	Polyester	up to 500 cm	X
	Digitex® SAT 7870-0295	Indoor applications	3.9	Polyester	up to 137 cm	X
	Digitex® Spacetex 7602-0161	Indoor applications	7.0	Polyester	245 cm	X
	Digitex® Superior 7835-0295	Indoor applications	10	Polyester	up to 5 m	X
	Digitex®Flexible 7302-0501	Indoor applications	5.8	Polyester	up to 310 cm	X
	Digitex® Standard 7602-0291	Indoor applications	7.0	Polyester	up to 5 m	X
	Heytex Flag 7822-0291		3.2	Polyester	up to 310 cm	
	Sublitex-Light 7910-0291		4.5	Polyester	up to 310 cm	X
Seattle Textile Company	13 oz. Green Scrim Banner		13	Polyester		PVC free

PVC-FREE MESH

Heytex Bramsche GmbH	Digitex® Mesh SR 7371-0295	Banners	3.1	Polyester	up to 500 cm	X
----------------------	----------------------------	---------	-----	-----------	--------------	---

SOLUTION DYED ACRYLIC MOD ACRYLIC

Glen Raven Custom Fabrics LLC	Sunbrella	Awnings, signage	9	Solution-dyed acrylic	46, 60, 80	*G
-------------------------------	-----------	------------------	---	-----------------------	------------	----

*A Product has been certified using test method B1, M1, or M2. Check company website to verify specifics.

*B Products listed can be coated to NFPA 701 or are certified to NFPA 701. Check company website to verify specifics.

*C The length of the fabric or graphics warranty depends on type of ink used for graphic applications.

AESTHETICS			DURABILITY			GRAPHICS COMPATIBILITY				INK TYPE					CONTACT INFORMATION
Opaque or Translucent	Matte or Gloss finish	Number of sides printable	Warranty months	UV resistant	Flame resistant (NFPA 701)	Sublimation Direct or Indirect	Heat transfer	Pressure sensitive	Ink jet **	Latex	Aqueous	Solvent	UV	Eco solvent	

Translucent	Gloss	1		X	X			X	X			X	X	X	www.valuevinyls.com info@valuevinyls.com
Translucent	Matte	1		X	X			X	X			X	X	X	
Translucent	Matte	1			X			X	X			X	X	X	
Translucent	Matte	1						X	X			X	X	X	
Translucent	Gloss	1		X	X			X	X			X	X	X	
Translucent	Matte	1						X	X			X	X	X	
Opaque	Matte	2						X	X			X	X	X	
Opaque	Matte	2			X			X	X			X	X	X	
Opaque	Gloss	2						X	X			X	X	X	
Opaque	Matte	2						X	X			X	X	X	
Opaque	Gloss	2						X	X			X	X	X	
	Matte	1						X				X	X	X	
	Matte	1						X				X	X	X	
Opaque	Matte	2			X			X	X			X	X	X	
Opaque	Matte	2			X			X	X			X	X	X	
Translucent	Gloss	1			X			X	X			X	X	X	
Translucent	Matte	1			X			X	X			X	X	X	
	Gloss	1		X	X			X				X	X	X	
	Matte	1		X	X			X				X	X	X	
Translucent	Gloss	1			X			X	X			X	X	X	
Translucent	Matte	1			X			X	X			X	X	X	
Opaque	Matte	2						X	X			X	X	X	

												X	X		www.cooleysgroup.com info@cooleysgroup.com
												X	X		
												X	X		
												X	X		

Opaque	Matte	2			X				X				X		www.heytext.com info@heytext.com
Opaque	Matte	1	72	X	*A	*D	*D		X			X		X	
Translucent	Matte	1	72	X	*A	*D	*D		X			X		X	
	Matte	1							X	X		X	X	X	
Translucent	Matte	1	12		X				X	X		X	X	X	
Opaque	Matte	2	72	X	*A				X			X		X	
	Matte	1			X				X	X		X	X	X	
	Matte	1							X	X		X	X		
	Gloss	1	72	X	*A				X			X	X	X	
	Matte	1	72	X	*A				X	X		X	X	X	
Translucent	Matte	1			X	*D	X		X	X		X			
	Matte	1	72	X	*A				X	X		X	X	X	
Translucent	Matte	1	72		*A	Indirect	X		X	X		X		X	
Translucent	Matte	1			X				X			X			
Translucent	Matte	1	12		X			X	X	X		X	X	X	

	Matte	1			X				X	X		X	X	X	www.heytext.com info@heytext.com
--	-------	---	--	--	---	--	--	--	---	---	--	---	---	---	-------------------------------------

Opaque	Matte		120	X				X	X						www.sunbrella.com customerservice@glenraven.com
--------	-------	--	-----	---	--	--	--	---	---	--	--	--	--	--	--

*D Check company website to verify specifics.

X Yes, product has the specified characteristic

* Green references environmentally friendly products, environmentally friendly processes, recyclable program or use of recycled products in the making of current textile.

** Recommended inks are represented by 'S' solvent, 'UV' ultraviolet, 'DI' disperse, 'W' water-based.